

**MESSER**

**> MESSER ANWENDUNGSTABELLE PER LÄNGE**

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-8326	36	5	14	-	-	ELECTROLUX - HUSQVARNA	229
120-3073	56	-	-	-	-	FLYMO	237
120-6717	70	-	-	-	-	GARDENA	238
110-1119	70x70	-	-	-	-	KYNAST	261
110-8339	70,1	10,4	10,4	40	2x29,7	BRILL	218
120-3512	72	6,5 / 9	-	-	-	BLACK & DECKER	216
120-3511	72	7,2 / 11,4	-	-	-	BOSCH	217
120-3511	72	7,2 / 11,4	-	-	-	QUALCAST	280
120-3074	75	8	-	-	-	FLYMO	236
110-1183	75x75	-	-	-	-	WOLF	306
120-3508	82	12	-	-	-	FLYMO	236
120-3509	83	7 / 11	-	-	-	FLYMO	237
120-3510	85	7,5 / 11,7	-	-	-	BOSCH	217
110-1092	85x85	-	10	49	-	BRILL	218
120-3075	86	-	-	-	-	FLYMO	237
110-1185	93	6 (x3)	-	-	-	WOLF	307
110-9575	95	20	-	-	-	KLIPPO	257
110-1186	105	8	-	-	-	WOLF	306
110-4209	110	8,1	-	-	2x60	STIGA	290
110-3730	110	15	-	-	38x2	VICTA	299
120-3008	114	12,44	-	-	-	FLYMO	236
110-9574	114	9	-	-	-	KLIPPO	257
110-4210	118	8,1	-	-	2x60	STIGA	291
110-6612	120	12	-	-	2x50	ROVER	281
110-9599	122	8,3	6	24,5	4x50	STIGA	291
110-3731	124	15	-	-	44x2	VICTA	299
110-4238	125	13	-	-	2,1x45	MORISSON	264
110-0136	127	18,25	-	-	-	STIGA	291
110-0196	137	9	-	-	-	WOLF	307
110-1172	140	7,94	-	-	-	STIGA	291
110-4241	147	15,6	-	-	2,2x48	VICTA	299
110-4239	152	13	-	-	2,1x45	MORISSON	264
110-4211	152	-	-	-	2x50	STIGA	291
110-3170	160	9,5	-	-	2.4x38	MTD	265
110-4240	166	13	-	-	2,1x45	MORISSON	265
110-3732	167	15	-	-	57x2	VICTA	299
110-4212	168	8,2	6,3	-	4x60	STIGA	291
110-4212	168	8,2	6,3	-	4x60	VIKING	299
110-4213	170	11,2	6,3	-	4x60	STIGA	291
110-0108	245	-	6.5 & 8	57,5	3.5x63	MTD	265
110-3437	245	10	-	-	3.5x50	NOMA	277
110-6589	297	19	-	-	3x50	MTD	266
110-8375	299	10,2	4x8,5	44,5 / 46,5	4x62,8	COUNTAX	223
110-3499	300	16,2	8,5	36	3x40	FLYMO	236
110-1112	300	20	10	40	3x45	KYNAST	260
110-1181	300	22	-	-	2,3x60	WOLF	305
110-3455	302	20,4	-	-	-	BLACK & DECKER	312

MESSER



REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-0061	305	10	8	60	3,7x50	ELECTROLUX - HUSQVARNA	229
110-6519	307	10,2	-	-	3,6x63,6	COUNTAX	224
110-8410	307	17,1	-	-	-	MTD	266
110-3727	310	20	-	-	3x35	VALEX	298
110-0164	312	10,5	8,5	82,5	3,7x50	STIGA	291
110-0003	313	17	-	-	2,5x50	ALKO	202
110-3588	315	38	11	64	3x95	MTD	266
110-4181	320	8	8	60	2x50	BOSCH	217
110-1120	320	20	10	40	3x50	GRANJA	238
110-8411	320	20	-	-	-	MTD	266
110-8366	322	10,2	4x8,5	44,5 / 46,5	4x76	COUNTAX	224
110-8367	322	10,2	4x8,5	44,5 / 46,5	4x76	COUNTAX	224
110-3706	322	19,05	-	-	2,3x40	STIGA	291
110-0036	330	18,3	8,5	45	2,5x50	CASTELGARDEN (TC, Honda, Stiga)	219
110-0036	330	18,3	8,5	45	2,5x50	DOLMAR	227
110-8386	330	16,2	8,2	35	-	FLYMO	224
110-0036	330	18,3	8,5	45	2,5x50	HONDA	241
110-1120	330	20	10	40	3x45	KYNAST	260
110-0036	330	18,3	8,5	45	2,5x50	Mc CULLOCH	264
110-4204	330	20,5	10,5	52	2x45	OLEO-MAC	278
110-3728	330	20	-	-	3x35	VALEX	298
110-4220	336	-	6,8 / 7	52 / 30	2x50	WOLF	305
110-3459	337	19,9	-	-	-	BLACK & DECKER	216
110-1085	338	19,7	-	-	3,2x50	ALKO	202
110-4182	340	8	8	60	2x50	BOSCH	217
110-3479	350	31,7	10,2	67	4,7x63	CASE	218
110-0062	350	10	8	60	3,7x50	ELECTROLUX - HUSQVARNA	229
110-6533	350	16	10	62	2,5x50	ELECTROLUX - HUSQVARNA	229
110-3551	350	17,5	-	-	5x50	JOHN DEERE	248
110-3739	350	19	-	-	5x50	WHEEL HORSE	305
110-3748	350	20,5	5	52	2,6x60	WOLF	305
110-8346	359	12	8,2	40	4x60	ELECTROLUX - HUSQVARNA	229
110-3669	360	18	15	48	4x70	QUEEN GARDEN - SANDRIGARDEN	281
110-3740	360	19x16	6,3	42	5x50	WHEEL HORSE	305
110-3461	364	19	10,6x25	60 / 76	3x50	BLACK & DECKER	216
110-3438	365	9,5	-	-	4x50	NOMA	277
110-4221	366	-	6,8 / 7	52 / 30	2x50	WOLF	306
110-3487	368	17,5	-	-	5x50	DIXON	226
110-8433	368	19	10,3	78	-	SIMPLICITY	285
110-3487	368	17,5	-	-	5x50	SPRINGFIELD - ZTR - DIXON	290
110-4183	370	8	8	60	2x50	BOSCH	217
110-4184	370	10	9,1	41	2x50	BOSCH	217
110-0037	370	18,3	8,5	45	2,5x50	CASTELGARDEN (TC, Honda, Stiga)	219
110-0037	370	18,3	8,5	45	2,5x50	DOLMAR	227
110-0037	370	18,3	8,5	45	2,5x50	HONDA	241
110-3528	370	16	-	-	5x70	HONDA	241
110-0074	370	18,2	-	-	5x50	KUBOTA	257

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-0037	370	18,3	8,5	45	2,5x50	Mc CULLOCH	264
110-0165	370	10,2	8,5	82,5	3,7x50	STIGA	291
110-0163	370	10,5	8,5	82,5	4x50	STIGA	292
110-3670	371	15,87	8	34	4x64	AYP	207
110-3671	371	31,7	11,9	76	4x64	AYP	207
110-1114	371	20	10	40	3x50	KYNAST	260
110-3431	375	19,5	20x12.5	70	3x50	ALKO	202
110-3591	376	stern 6 kanten	8	64	3.6x76	MTD	266
110-3592	376	10,4	8	64	3,7x76	MTD	266
110-6590	376	H	9,5	63,5	3.8x63.5	MTD	266
110-6591	376	H	8,2	63,5	3.2x76.2	MTD	266
110-3433	378	19,7	8	65	3x50	ALKO	202
110-1131	378	16	6,5	70	3x50	GABY	237
110-1131	378	16	6,5	70	3x50	GRANJA	238
110-1131	378	16	6,5	70	3x50	MOUNTFIELD	265
110-1079	380	19,7	20x12.5	70	3x55	ALKO	202
110-6520	380	10,2	-	-	3,6x63,6	COUNTAX	224
110-6521	380	10,2	10,4	46,5	3,6x63,6	COUNTAX	224
110-8376	380	10,2	-	-	4x62,8	COUNTAX	224
110-8387	380	15,5	8,3	34	-	FLYMO	236
110-3729	380	20	-	-	3x40	VALEX	298
110-8368	381	10,2	4x8,5	44,5 / 46,5	4x62,8	COUNTAX	224
110-8369	381	10,2	4x8,5	44,5 / 46,5	4x62,8	COUNTAX	224
110-3629	381	25.4x22	-	-	3.7x57	MURRAY	273
110-3504	384	16	8,3	35	3,2x50	FLYMO	236
110-1116	385	20	10	40	3x70	KYNAST	261
110-3631	385	22.2x25.4	-	-	4x57	MURRAY	273
110-6617	385	10	8,5	82,5	4x50	STIGA	292
110-3664	387	19	-	-	5x50	NIAGARA	276
110-8428	388	10	8,5	65	-	OLEO-MAC	278
110-3672	389	9,5	10	102	4,8x57	AYP	207
110-3672	389	9,5	10	102	4,8x57	BERNARD	213
110-3593	389	10	8	64	3.7x51	MTD	266
110-8434	389	19	10,3	65	-	SIMPLICITY	285
110-0210	390	19,7	8,75	65	3,1x55	ALKO	202
110-3673	390	stern 5 kanten	9	80	3,4x57	AYP	207
110-3483	390	18,4	8,75	65	3x57	CASTELGARDEN (TC, Honda, Stiga)	219
110-3673	390	stern 5 kanten	9	80	3,4x57	ELECTROLUX - HUSQVARNA	229
110-8347	390	12	8,2	40	4x60	ELECTROLUX - HUSQVARNA	229
110-0073	390	18,2	8,6	38	5x50	KUBOTA	258
110-1110	390	18,4	-	-	6x50	KUBOTA	258
110-0079	390	20	10	40	3x55	KYNAST	261
110-3483	390	18,4	8,75	65	3x57	Mc CULLOCH	264
110-4231	394	16,2	10x8,6	48	3X38	DAYE	225
110-0087	394	16	7	70	3,5x50	GRANJA	238
110-0174	394	16	-	-	5x64	TORO	295
110-3674	395	stern 5 kanten	-	-	4,8x57	AYP	208



REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-3675	395	stern 5 kanten	-	-	4x57	AYP	208
110-3674	395	stern 5 kanten	-	-	4,8x57	ELECTROLUX - HUSQVARNA	229
110-3675	395	stern 5 kanten	-	-	4x57	ELECTROLUX - HUSQVARNA	208
110-3711	395	15,9	-	-	4x64	TORO	295
110-1175	395	32	-	-	4x60	TORO	296
110-1187	395	20	-	-	3,2x55	YAMAHA	307
110-0201	396	19,5	8x12	53 / 76	3,2x55	ALKO	203
110-1133	397	20	6,5	70	3x50	MOUNTFIELD	265
110-8412	397	32	-	-	-	MTD	266
110-8439	398	10	10,5	52	-	STIGA	292
110-8440	398	19,2	-	-	-	STIGA	292
110-3582	399	17	11x11.8	40	3x50	MAPLEX - MARAZZINI - MEP	262
110-1082	400	19,7	8	65	3,6x50	ALKO	203
110-4185	400	8	8	60	2x50	BOSCH	217
110-3490	400	12,5	12,5	72	4x50	CONCORD	223
110-1082	400	19,7	8	65	3,6x50	DOLMAR	227
110-8388	400	16,2	8,5	35	-	FLYMO	237
110-0052	400	16	10	70	3x70	HARRY	240
110-1115	400	20,4	10,3	40	4x50	KYNAST	261
110-3632	400	21,5	-	-	4x57	MURRAY	273
110-3633	400	21,5	9,8	60	3.5x57	MURRAY	273
110-1152	400	32	6,8	86	3x70	SOLO	288
110-3734	400	32	-	-	4x56	VIKING	299
110-8445	400	18,3	8,5	45 / 65	-	VIKING	299
110-3481	403	31,7	10,2	67	4.7x63	CASE	218
110-3480	405	31,7	10,2	67	4.7x63	CASE	219
110-3552	405	17,5	10	102	5x50	JOHN DEERE	248
110-1170	405	10	8	55	3,2x40	STIGA	292
110-8364	406	stern 3 kanten	-	-	3,4x64	CASTELGARDEN (TC, Honda, Stiga)	292
110-8362	406	10,3	10,3	25,4	3,8x50,8	MURRAY	273
110-8364	406	stern 3 kanten	-	-	3,4x64	STIGA	292
110-4205	407	10	8,5	65	4x50	OLEO-MAC	279
110-3742	408	19	-	-	5x50	TORO	296
110-3463	410	15,8	9	42	6x63	BOBCAT	216
110-3473	410	15,9	-	-	5x64	BUNTON	218
110-6474	410	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	219
110-0039	410	18,5	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	219
110-0039	410	18,5	8,75	65	3x55	DOLMAR	228
110-3439	410	10	-	-	4x50	ELECTROLUX - HUSQVARNA	230
110-8393	410	10,2	8,5	40	-	ELECTROLUX - HUSQVARNA	230
110-0039	410	18,5	8,75	65	3x55	HONDA	241
110-6474	410	18,5	8,75	65	4x55	HONDA	241
110-8392	410	21	10,4	88	-	HONDA	241
110-0039	410	18,5	8,75	65	3x55	Mc CULLOCH	241
110-3594	410	stern 6 kanten	8	63,5	3.2x76	MTD	267
110-3439	410	10	-	-	4x50	NOMA	277
110-6600	410	10	-	-	3.5x54	NOMA	277

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN- ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-6602	410	18,5	8,75	65	4x55	PILOTE 88	280
110-8435	410	19	10,1	65	-	SIMPLICITY	285
110-3742	410	19	-	-	5x50	WHEEL HORSE	296
110-3749	410	32	-	-	2,6x75	WOLF	306
110-8394	411	10,2	8,3	60,3	-	ELECTROLUX - HUSQVARNA	230
110-3493	412	24	8	48	4x50	ELECTROLUX - HUSQVARNA	230
110-1140	412	10	8	64	4x76	MTD	267
110-6592	412	10,3	8	64	3,8x76	MTD	267
110-6593	412	H	9,5	63,5	3.8x63.5	MTD	267
110-8450	415	16	8,2	65	-	IBEA	246
110-0091	415	10	8	65	4x55	MARINA	263
110-0091	415	10	8	65	4x55	PILOTE 88	280
110-0091	415	10	8	65	4x55	STAUB	290
110-0004	416	19,7	-	-	3x55	ALKO	203
110-1100	417	26,8	9,5	78	3x57	HONDA	241
110-1098	418	28	8.5x6	50	2,5x57	HONDA	241
110-3475	419	15,9	10	103	5x63	BUNTON	218
110-8355	419	22,6	-	-	6,4x63,5	KUBOTA	258
110-3475	419	15,9	10	103	5x63	SABO	281
110-3364	419	15,9	-	-	5,2x76	SCAG	284
110-8432	419	15,9	-	-	-	SCAG	284
110-3676	420	19x16	-	-	3.5x64	AYP	208
110-8468	420	18	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	219
110-8469	420	18	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	219
110-8470	420	18	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-8471	420	18	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-3687	420	16	12	257	3,4x60	ELECTROLUX - HUSQVARNA	230
110-8348	420	12	8,2	40	4x60	ELECTROLUX - HUSQVARNA	230
110-8389	420	15,9	-	-	-	FLYMO	237
110-6527	420	16	8	65	4x55	GRANJA	238
110-0055	420	27	9	94	3x74	HONDA	242
110-0060	420	21	10	88	3x74	HONDA	242
110-6540	420	18	-	-	5x50	HONDA	242
110-1102	420	20	-	-	4,8x57	ISEKI	247
110-0075	420	18	9	38	5x50	KUBOTA	258
110-1109	420	18,4	-	-	5x50	KUBOTA	258
110-6527	420	16	8	65	4x55	MOUNTFIELD	265
110-3702	420	9,5	-	-	4x70	SNAPPER	286
110-4215	420	18,2	8,0 / 10	65 / 94	3x70	VIKING	299
110-4222	420	20	10	40	3x55	WOLF	306
110-3677	421	32	12	76	4.7x63	AYP	208
110-8381	422	17,5	-	-	-	DIXON	226
110-3553	422	20,6	-	-	5x63	JOHN DEERE	249
110-3554	422	20,6	-	-	5x63	JOHN DEERE	249
110-8399	422	20,2	-	-	-	JOHN DEERE	249
110-4189	422	18,3	-	-	6X65	KUBOTA	258
110-4190	422	18,3	-	-	6X65	KUBOTA	258



REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-6609	425	stern 5 kanten	8,75	100	5x63	AYP	208
110-6610	425	stern 5 kanten	-	-	5x63	AYP	208
110-6610	425	stern 5 kanten	-	-	5x63	ELECTROLUX - HUSQVARNA	230
110-3569	425	16	-	-	4,6x45	KUBOTA	258
110-1179	425	32	-	-	4x55	VIKING	299
110-4216	425	18,2	8,7 / 10,4	65 / 94	3x70	VIKING	300
110-4242	426	16	8,8	40	2,6x55	WEIBANG	303
110-0069	428	20,4	-	-	6x60	ISEKI	247
110-0068	428	14,3	-	-	6x60	ISEKI	247
110-3470	430	9,5	10	70	5x50	BOLENS	217
110-4186	430	10	9,1	51	2x50	BOSCH	217
110-3482	430	31,7	10,6	68	4.7x63	CASE	219
110-1128	430	18	9	65	3,5x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-8370	430	10,2	-	-	4x62,8	COUNTAX	224
110-8349	430	12	9	60	3,4x60	ELECTROLUX - HUSQVARNA	230
110-3519	430	15,9	9,6	102	5x50	GRAVELY	239
110-3520	430	15,9	-	-	5x63	GRAVELY	240
110-0070	430	14,5	-	-	5x50	ISEKI	247
110-1161	430	32	-	-	-	JOHN DEERE	249
110-0092	430	10	8	65	4x55	MARINA	249
110-1161	430	32	-	-	-	SABO	263
110-1151	430	32	-	-	4x60	SABO	281
110-1156	430	32	-	-	3x60	SABO	282
110-1163	430	32	-	-	3,3x60	SABO	282
110-1168	430	32	-	-	3,2x80	SOLO	288
110-0092	430	10	8	65	4x55	STAUB	290
110-4245	430	31,9	-	-	3,2x102	WEIBANG	303
110-6571	431	17,1	10,4	94	3.8x63	JOHN DEERE	249
110-8382	432	15,9	-	-	-	DIXON	226
110-8383	432	15,9	-	-	-	DIXON	227
110-8400	432	20,2	-	-	-	JOHN DEERE	249
110-8401	432	23	-	-	-	JOHN DEERE	249
110-8402	432	stern 7 kanten	-	-	-	JOHN DEERE	249
110-3665	432	19	-	-	5x50	NIAGARA	277
110-3488	435	17,5	-	-	5x63	DIXON	227
110-8453	435	16	8,2	65	-	IBEA	246
110-0124	435	33	-	-	-	QUEEN GARDEN - SANDRIGARDEN	281
110-8441	435	10	10,5	52	-	STIGA	292
110-8442	435	20	-	-	-	STIGA	292
110-3599	436	10	8	64	3.7x51	MTD	267
110-8443	437	10,4	10,4	51,5	-	STIGA	292
110-1089	440	20	-	-	4x80	AS MOTOR	206
110-1125	440	18,3	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-6475	440	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-3556	440	17,5	-	-	5x63	JOHN DEERE	250
110-1117	440	20	10	40	3x70	KYNAST	261
110-3601	440	10,2	8	64	5x64	MTD	267

## MESSER

# > MESSER ANWENDUNGSTABELLE PER LÄNGE

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-6475	440	18,5	8,75	65	4x55	STIGA	293
110-3678	441	stern 5 kanten	9	80	3,4x57	AYP	208
110-4243	443	16	8,8	40	2,6x55	WEIBANG	303
110-1126	444	18	8,5	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-8372	445	10,2	-	-	4x62,8	COUNTAX	225
110-8371	445	10,2	4x8,5	44,5 / 46,5	4x62,8	COUNTAX	225
110-4246	445	31,9	-	-	3,2x102	WEIBANG	304
110-8413	447	32	-	-	-	MTD	267
110-3625	448	19,7	8	65	3,5x50,5	ALKO	203
110-3625	448	19,7	8	65	3,5x50,5	DOLMAR	228
110-3625	448	19,7	8	65	3,5x50,5	MAKITA	262
110-3635	448	21,5	-	-	4x57	MURRAY	273
110-3476	450	15,9	-	-	5.2x63.5	BUNTON	218
110-3477	450	15,9	-	-	5.2x63.5	BUNTON	218
110-1124	450	18,5	8,5	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-0049	450	28	-	-	3x75	CONCORD	223
110-1124	450	18,5	8,5	65	4x55	DOLMAR	228
110-0049	450	28	-	-	3x75	DOLMAR	228
110-8350	450	12,7	8,7	40	5,2x60	ELECTROLUX - HUSQVARNA	231
110-3521	450	15,9	-	-	6x50	GRAVELY	240
110-1124	450	18,5	8,5	65	4x55	HONDA	242
110-6603	450	10	7	60	5x60	PILOTE 88	280
110-1150	450	32	6,8	86	3x70	SOLO	288
110-0049	450	28	-	-	3x75	STIGA	293
110-1173	451	10,2	8,5	83	4x50	STIGA	293
110-8414	452	32	-	-	-	MTD	267
110-8415	452	stern	-	-	-	MTD	267
110-4217	453	10,4	8,5	65	3x60	VIKING	300
110-1104	454	20	-	-	5x60	ISEKI	247
110-4191	454	stern 6 kanten	-	-	4,5X60	MTD	267
110-4223	455	19,6	8	65	4x60	ALKO	203
110-3679	455	15,9	-	-	4x63	AYP	208
110-1171	455	16	7	70	3x72	GABY	238
110-1171	455	16	7	70	3x72	GRANJA	239
110-1171	455	16	7	70	3x72	MOUNTFIELD	265
110-8416	455	stern	7,5	63,5	-	MTD	268
110-4206	455	20,5	10,5	52	4x50	OLEO-MAC	279
110-8429	455	10	8,5	65	-	OLEO-MAC	279
110-3713	455	11	-	-	3x66	TORO	296
110-1188	455	20	10,5	54	4x57	YAMAHA	307
110-0065	456	10	8,5	65	3,7x75	ELECTROLUX - HUSQVARNA	231
110-8390	456	16,2	9,1 / 10,2	35 / 94	-	FLYMO	237
110-0086	456	16	7	70	3x70	GRANJA	239
110-0086	456	16	7	70	3x70	MOUNTFIELD	265
110-3680	457	stern 5 kanten	-	-	4.7x57	AYP	208
110-3464	457	15,9	8,7	42	6x63	BOBCAT	216



REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-8351	457	stern 5 kanten	-	-	5,2x63,5	ELECTROLUX - HUSQVARNA	231
110-0040	457	18,5	8,75	65	3x55	HONDA	242
110-1134	457	10	8	64	3,7x51	MTD	268
110-8417	457	23,6 x 17,8	7,1	63,5	-	MTD	268
110-3636	457	22,2 x 25,4	10	103	4,2x57	MURRAY	273
110-4207	457	10	8,5	65	3x50	OLEO-MAC	279
110-3365	457	15,9	-	-	5,2x76	SCAG	284
110-3366	457	15,9	-	-	5,2x63,5	SCAG	284
110-8438	457	15,9	9,8	47,5	-	SNAPPER	286
110-0135	457	10	8,5	53	3,5x50	STIGA	293
110-8444	457	12,7	-	-	-	TORO	296
110-0202	458	19,5	12,5x20	50/90	3,1x55	ALKO	203
110-4232	458	16,3	10x8,6	48	4x55	DAYE	225
110-8418	458	21	9,7	63,5	-	MTD	268
110-0005	460	19,7	8,5	65	3x55	ALKO	203
110-1083	460	19,7	12x20	70	3,7x55	ALKO	203
110-0011	460	stern 5 kanten	-	-	4x57	AYP	208
110-0014	460	stern 5 kanten	-	-	4x57	AYP	209
110-0011	460	stern 5 kanten	-	-	4x57	BERNARD	213
110-0014	460	stern 5 kanten	-	-	4x57	BERNARD	213
110-0047	460	18,5	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-0046	460	18,5	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-2570	460	18,5	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	220
110-2571	460	18,5	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	221
110-0040	460	18,5	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	221
110-4233	460	20	12 x 9,4	60	4x55	DAYE	226
110-0011	460	stern 5 kanten	-	-	4x57	ELECTROLUX - HUSQVARNA	231
110-0014	460	stern 5 kanten	-	-	4x57	ELECTROLUX - HUSQVARNA	231
110-6523	460	10,5	22x12	57	3x70	GABY	238
110-3513	460	10,5	-	-	4x50	GRANJA	239
110-6528	460	16	8	65	4x55	GRANJA	239
110-0047	460	18,5	8,75	65	3x55	HONDA	242
110-0046	460	18,5	8,75	65	3x55	HONDA	242
110-6543	460	21	10	88	3x79	HONDA	242
110-2570	460	18,5	8,75	65	3x55	HONDA	242
110-2571	460	18,5	8,75	65	3x55	HONDA	242
110-0047	460	18,5	8,75	65	3x55	JOHN DEERE	250
110-0046	460	18,5	8,75	65	3x55	JOHN DEERE	250
110-0011	460	stern 5 kanten	-	-	4x57	JOHN DEERE	250
110-0014	460	stern 5 kanten	-	-	4x57	JOHN DEERE	250
110-0011	460	stern 5 kanten	-	-	4x57	JONSERED	255
110-0014	460	stern 5 kanten	-	-	4x57	JONSERED	255
110-4233	460	20	12 x 9,4	60	4x55	MAKITA	262
110-3587	460	11,5	-	-	4x50	MAPLEX - MARAZZINI - MEP	262
110-1130	460	17	11x11,5	40	3x65	MAPLEX - MARAZZINI - MEP	262
110-0093	460	10	8	65	4x55	MARINA	263
110-0040	460	18,5	8,75	65	3x55	Mc CULLOCH	264



**MESSER**

**> MESSER ANWENDUNGSTABELLE PER LÄNGE**

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-6528	460	16	8	65	4x55	MOUNTFIELD	265
110-0098	460	10,3	8	64	4x75	MTD	268
110-3637	460	22.2 x 25.4	-	-	4x75	MURRAY	273
110-3638	460	10	-	-	4x50	MURRAY	273
110-3440	460	10	-	-	3,5x50	NOMA	277
110-0121	460	9,5	-	-	4x50	NOMA	277
110-0118	460	10	-	-	3.5x54	NOMA	278
110-0093	460	10	8	65	4x55	PILOTE 88	280
110-0046	460	18,5	8,75	65	3x55	SABO	282
110-0047	460	18,5	8,75	65	3x55	SABO	282
110-2570	460	18,5	8,75	65	3x55	SABO	282
110-2571	460	18,5	8,75	65	3x55	SABO	282
110-0047	460	18,5	8,75	65	3x55	SOLO	289
110-0046	460	18,5	8,75	65	3x55	SOLO	289
110-0093	460	10	8	65	4x55	STAUB	290
110-0047	460	18,5	8,75	65	3x55	STIGA	293
110-0046	460	18,5	8,75	65	3x55	STIGA	293
110-2570	460	18,5	8,75	65	3x55	STIGA	293
110-2571	460	18,5	8,75	65	3x55	STIGA	293
110-3712	460	12,7	-	-	5x64	TORO	296
110-3714	460	15,9	-	-	5x55	TORO	296
110-1176	460	32	-	-	4x60	TORO	296
110-0047	460	18,5	8,75	65	3x55	VIKING	300
110-0046	460	18,5	8,75	65	3x55	VIKING	300
110-0011	460	stern 5 kanten	-	-	4x57	VIKING	300
110-2570	460	18,5	8,75	65	3x55	VIKING	300
110-2571	460	18,5	8,75	65	3x55	VIKING	300
110-3743	460	8	8	46	4x50	WESTWOOD	304
110-6624	460	10	8	46	4x50	WESTWOOD	304
110-0187	460	32	-	-	3x70	WOLF	306
110-4234	461	16,3	10x8,6	48	4x55	DAYE	226
110-3681	462	9,5	-	-	3.5x63	AYP	209
110-3682	462	9,5	-	-	5x57	AYP	209
110-3682	462	9,5	-	-	5x65	BERNARD	213
110-6483	462	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	221
110-8380	462	18,5	8,5	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	221
110-3682	462	9,5	-	-	5x65	ELECTROLUX - HUSQVARNA	231
110-6483	462	18,5	8,75	65	4x55	HONDA	243
110-8380	462	18,5	8,5	65	4x55	HONDA	243
110-8380	462	18,5	8,5	65	-	SABO	282
110-6483	462	18,5	8,75	65	4x55	SABO	282
110-6483	462	18,5	8,75	65	4x55	STIGA	293
110-8380	462	18,5	8,5	65	4x55	STIGA	293
110-6483	462	18,5	8,75	65	4x55	VIKING	300
110-8380	462	18,5	8,5	65	4x55	VIKING	300
110-3639	463	22.2 x 25.4	-	-	3.7x57	MURRAY	274
110-4226	464	10,15	9,4	276	5x57	AYP	209

MESSER



REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-0015	465	stern 5 kanten	-	-	4x57	AYP	209
110-0016	465	stern 6 kanten	-	-	4x57	AYP	209
110-8195	465	stern 5 kanten	12,9	86	4x57	AYP	209
110-8196	465	stern 6 kanten	12,9	86	4x57	AYP	209
110-8197	465	Passt zu 110-8195	-	-	4x57	AYP	209
110-8198	465	Passt zu 110-8196	-	-	4x57	AYP	209
110-0015	465	stern 5 kanten	-	-	4x57	BERNARD	209
110-0016	465	stern 6 kanten	-	-	4x57	BERNARD	209
110-8195	465	stern 5 kanten	12,9	86	4x57	BERNARD	214
110-8196	465	stern 6 kanten	12,9	86	4x57	BERNARD	214
110-8197	465	Passt zu 110-8195	-	-	4x57	BERNARD	214
110-8198	465	Passt zu 110-8196	-	-	4x57	BERNARD	214
110-8365	465	stern 3 kanten	-	-	3,4x64	CASTELGARDEN (TC, Honda, Stiga)	221
110-3494	465	10	8,5	65	3,3x63	ELECTROLUX - HUSQVARNA	231
110-0015	465	stern 5 kanten	-	-	4x57	ELECTROLUX - HUSQVARNA	231
110-0016	465	stern 6 kanten	-	-	4x57	ELECTROLUX - HUSQVARNA	231
110-8195	465	stern 5 kanten	12,9	86	4x57	ELECTROLUX - HUSQVARNA	231
110-8196	465	stern 6 kanten	12,9	86	4x57	ELECTROLUX - HUSQVARNA	232
110-8197	465	Passt zu 110-8195	-	-	4x57	ELECTROLUX - HUSQVARNA	232
110-8198	465	Passt zu 110-8196	-	-	4x57	ELECTROLUX - HUSQVARNA	232
110-0067	465	25,5	14,5	90	4x57	ISEKI	247
110-0015	465	stern 5 kanten	-	-	4x57	JOHN DEERE	250
110-0016	465	stern 6 kanten	-	-	4x57	JOHN DEERE	250
110-0015	465	stern 5 kanten	-	-	4x57	JONSERED	255
110-0016	465	stern 6 kanten	-	-	4x57	JONSERED	255
110-8195	465	stern 5 kanten	12,9	86	4x57	JONSERED	255
110-8196	465	stern 6 kanten	12,9	86	4x57	JONSERED	255
110-8197	465	Passt zu 110-8195	-	-	4x57	JONSERED	255
110-8198	465	Passt zu 110-8196	-	-	4x57	JONSERED	255
110-0067	465	25,5	14,5	90	4x57	KUBOTA	258
110-3602	465	10,3	8	64	4x75	MTD	268
110-8365	465	stern 3 kanten	-	-	3,4x64	STIGA	294
110-4224	466	19,5	12x8	65,5	4x50	ALKO	203
110-4192	467	stern 6 kanten	-	-	3,2x77	MTD	268
110-4193	467	stern 6 kanten	-	-	3,2x77	MTD	268
110-3666	467	19	-	-	5x50	NIAGARA	277
110-1162	469	32	-	-	3,3x60	JOHN DEERE	250
110-1162	469	32	-	-	3,3x60	SABO	282
110-3436	470	31	-	-	4x57	ALLEN	205
110-8345	470	stern 5 kanten	-	-	5,2x63,5	AYP	210
110-0063	470	10	8,5	65	3,7x75	BERNARD	214
110-6611	470	19	10	65	-	DIXON	227

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-3495	470	10	8,35	65	2,4x75	ELECTROLUX - HUSQVARNA	232
110-0063	470	10	8,5	65	3,7x75	ELECTROLUX - HUSQVARNA	232
110-8345	470	stern 5 kanten	-	-	5,2x63,5	ELECTROLUX - HUSQVARNA	232
110-3506	470	16,2	8,5	35	4x57	FLYMO	237
110-1097	470	21	10,5	88	4x57	HONDA	243
110-0053	470	21	15	88	4x57	HONDA	243
110-3531	470	21,7	14	88	4x57	HONDA	243
110-0080	470	20	10	40	4x55	KYNAST	261
110-1118	470	20	10	40	4x55	KYNAST	261
110-6585	470	17	11x12	40	4x65	MAPLEX - MARAZZINI - MEP	262
110-6611	470	19	10	65	5x50	SIMPLICITY	285
110-8436	470	19	10,3	65	-	SIMPLICITY	285
110-4218	470	18,3	8,5 / 10,5	65 / 95	3x65	VIKING	300
110-3507	473	16,2	8,5	35	4x55	FLYMO	237
110-6570	473	20,2	-	-	7x60	ISEKI	247
110-3557	473	20,6	-	-	5x63	JOHN DEERE	250
110-4197	473	stern 7 kanten	-	-	4,5x68	JOHN DEERE	250
110-6572	474	25.4x44	-	-	5x63	JOHN DEERE	251
110-6573	474	25.4x44	-	-	5x63	JOHN DEERE	251
110-3496	475	10	8	65	3,2x63	ELECTROLUX - HUSQVARNA	232
110-0059	475	20,5	10,4	88	3,3x80	HONDA	243
110-0076	475	29	-	-	7x60	KUBOTA	258
110-8356	475	22,6	-	-	6,4x63,5	KUBOTA	259
110-8357	475	22,6	-	-	6,4x63,5	KUBOTA	259
110-8358	475	18,1	-	-	6,4x63,5	KUBOTA	259
110-1121	475	20	10	40	3,4x55	KYNAST	261
110-6604	475	16	8	65	4x55	PILOTE 88	280
110-3703	475	9,5	-	-	4x64	SNAPPER	286
110-6604	475	16	8	65	4x55	STAUB	290
110-1178	475	32	10.3x11.3	89	4,3x65	VIKING	301
110-3432	476	19,5	13x20	60 / 76	3x50	ALKO	203
110-1127	476	18,5	8,7	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	221
110-6484	476	18,3	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	221
110-8391	476	16,2	9,1 / 10,2	35 / 94	-	FLYMO	237
110-0072	476	23,4	11	90	4x57	KA AZ	256
110-8419	476	32	7,5	63,5	-	MTD	268
110-8420	476	stern	7,5	63,5	-	MTD	268
110-0072	476	23,4	11	90	4x57	OREC	279
110-6484	476	18,3	8,75	65	4x55	STIGA	294
110-4219	476	18,3	8,2 / 10,2	65 / 94	3x65	VIKING	301
110-0072	476	22,2	11	90	4x57	YANMAR	307
110-0051	477	16	10	70	3x90	HARRY	240
110-1078	478	13,6	12,3	70	3x50	ALKO	204
110-0006	478	19,7	20x12.5	70	3x55	ALKO	204
110-4244	478	16	8,8	40	2,6x55	WEIBANG	304
110-8406	479	14	-	-	-	KLIPPO	257
110-0081	479	16	13,5	66	3.3x76	LAWN BOY	261



REF.	LÄNGE (mm)	ZENTRALBOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-8421	479	20,6	9,5	63,5	-	MTD	269
110-0208	480	16,5	6,5	147	4,1x55	ALKO	204
110-0209	480	16,5	6,5	147	4,1x55	ALKO	204
110-0038	480	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	221
110-8377	480	10,2	-	-	4x62,8	COUNTAX	225
110-3514	480	11	-	-	4x50	GRANJA	239
110-0038	480	18,5	8,75	65	4x55	Mc CULLOCH	264
110-1135	480	10	8	64	3.7x51	MTD	269
110-1166	480	32	6,75	86	3,3x70	SOLO	289
110-1177	480	11,4	10	62	4,5x75	TORO	296
110-4247	480	31,9	-	-	3,2x102	WEIBANG	304
110-3744	480	8	8	46	4x50	WESTWOOD	304
110-3745	480	8	8	46	4x50	WESTWOOD	304
110-3497	482	24	8	48	4x50	ELECTROLUX - HUSQVARNA	232
110-8352	482	12	8,2	40	6,1x60	ELECTROLUX - HUSQVARNA	232
110-1087	483	32	12,3	80	4x80	AS MOTOR	206
110-4198	483	20,6	-	-	5x70	JOHN DEERE	251
110-8363	483	10,3	10,3	25,4	3,8x50,8	MURRAY	274
110-3717	483	11	-	-	3.5x57	TORO	296
110-8374	484	10,2	-	-	4x62,8	COUNTAX	225
110-8373	484	10,2	4x8,5	44,5 / 46,5	4x62,8	COUNTAX	225
110-3683	485	stern 5 kanten	9	80	4.7x57	AYP	210
110-0125	485	33	-	-	3,3x80	QUEEN GARDEN - SANDRIGARDEN	281
110-1149	485	32	-	-	4x70	SABO	283
110-8422	489	stern 6 kanten	8,1	63	-	MTD	269
110-0007	490	20	6,5	47	4x80	AS MOTOR	206
110-0012	490	stern 5 kanten	-	-	4x57	AYP	210
110-0009	490	stern 5 kanten	-	-	3.5x57	AYP	210
110-3684	490	9,5	-	-	5x57	AYP	210
110-0190	490	stern 5 kanten	9,5	213	4x55	AYP	210
110-3685	490	9,75	10	101,5	4x57	AYP	210
110-0009	490	stern 5 kanten	-	-	3.5x57	BERNARD	210
110-3684	490	9,5	-	-	5x57	BERNARD	210
110-6506	490	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	221
110-3491	490	25,5	-	-	5x60	DORIGNY - SEMIRAMIS	228
110-0012	490	stern 5 kanten	-	-	4x57	ELECTROLUX - HUSQVARNA	232
110-0009	490	stern 5 kanten	-	-	3.5x57	ELECTROLUX - HUSQVARNA	233
110-3684	490	9,5	-	-	5x57	ELECTROLUX - HUSQVARNA	233
110-0190	490	stern 5 kanten	9,5	213	4x55	ELECTROLUX - HUSQVARNA	233
110-3532	490	21	10,5	88	4x55	HONDA	243
110-3533	490	22	10,5	88	4x70	HONDA	243
110-0100	490	10,3	11,4	64	4x75	MTD	269
110-3603	490	10,3	8	64	4x50	MTD	269
110-0105	490	stern	8	63,5	-	MTD	269
110-0110	490	stern	8	63,5	3.8x76	MTD	269
110-3640	490	21,5	-	-	4x57	MURRAY	274
110-3642	490	10,3	-	-	3.5x57	MURRAY	274

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN- ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-1153	490	32	-	-	4x70	SABO	283
110-6506	490	18,5	8,75	65	4x55	STIGA	294
110-0172	490	15,9	-	-	5x64	TORO	296
110-3684	490	9,5	-	-	5x57	VIKING	301
110-4249	490	31,9	-	-	3,2x102	WEIBANG	304
110-4227	491	10,1	9,2	307	4x57	AYP	210
110-3686	491	9,5	-	-	4x57	AYP	210
110-0097	492	10	8	64	4x76	MTD	269
110-1141	493	10	8	64	4x75	MTD	269
110-3537	494	16	11,4x34	255	5x70	HONDA	243
110-3517	495	28,6	10	83	3.2x63	GILSON (Lawn Boy)	238
110-3558	495	17,5	-	-	5x63	JOHN DEERE	251
110-3559	495	17,5	-	-	5x76	JOHN DEERE	251
110-8403	495	17,5	-	-	-	JOHN DEERE	251
110-0112	495	21,5	-	-	3.5x70	MURRAY	274
110-0115	495	21,8	10	60	3.5x57	MURRAY	274
110-3641	495	21,4	10	60	5x57	MURRAY	274
110-4196	495	21,6	-	-	3x58	MURRAY	274
110-3559	495	17,5	-	-	5x76	SABO	283
110-3667	498	19	-	-	5x50	NIAGARA	277
110-0191	499	stern 5 kanten	9,5	245	4x57	AYP	210
110-0192	499	stern 6 kanten	9,5	245	4x57	AYP	211
110-0089	500	9,5	-	-	3.5x50	ALKO	278
110-3538	500	16	-	-	4,7x70	HONDA	243
110-3539	500	16	-	-	4,7x70	HONDA	244
110-3560	500	17,5	10	102	5x63	JOHN DEERE	251
110-3444	500	9,5	8	54	3,5x50	NOMA	278
110-0088	500	9,5	-	-	4x50	NOMA	278
110-0089	500	9,5	-	-	3.5x50	NOMA	278
110-0088	500	10	-	-	4x50	STIGA	294
110-8464	500	11	9,5	63,5	-	TORO	297
110-3735	500	32	-	-	4x64	VIKING	301
110-4248	500	31,9	-	-	3,2x84	WEIBANG	304
110-3486	504	18,3	8,5	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	221
110-6507	504	18,3	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	222
110-0041	504	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	222
110-0041	504	18,5	8,75	65	4x55	Mc CULLOCH	264
110-6507	504	18,3	8,75	65	4x55	STIGA	294
110-3413	505	15	10	125	5x50	DALOZ	225
110-3608	505	21	9,5	64	4x50	MTD	269
110-3643	505	10,3	10,3	64	4x57	MURRAY	274
110-4208	505	10	8,5	65	3X50	OLEO-MAC	279
110-0123	505	32	-	-	4x93	SABO	283
110-4235	506	12	12,5x9,2	61,7	4x55	DAYE	226
110-8430	507	10	8,5	65	-	OLEO-MAC	279
110-8430	507	10	8,5	65	-	QUEEN GARDEN - SANDRIGARDEN	281
110-1107	508	16	10	48	3.4x60	AYP	211



REF.	LÄNGE (mm)	ZENTRALBOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-3688	508	16	10	48	3.5x57	AYP	211
110-1107	508	16	10	48	3.4x60	BERNARD	214
110-3688	508	16	10	48	3.5x57	BERNARD	214
110-1107	508	16	10	48	3.4x60	ELECTROLUX - HUSQVARNA	233
110-3688	508	16	10	48	3.5x57	ELECTROLUX - HUSQVARNA	233
110-3512	508	24,3	4x8,5	44	4x75	GABY	238
110-1107	508	16	10	48	3.4x60	JOHN DEERE	251
110-3688	508	16	10	48	3.5x57	JOHN DEERE	252
110-1107	508	16	10	48	3.4x60	JONSERED	255
110-3688	508	16	10	48	3.5x57	JONSERED	255
110-3605	508	20,6	9,8	64	3x57	MTD	270
110-6594	508	23.4 x 17.45	8	63,5	3.2x57	MTD	270
110-3367	508	15,9	-	-	5,2x63,5	SCAG	284
110-1080	510	10	8	65	4x55	ALKO	204
110-1081	510	19,7	10	70	4x60	ALKO	204
110-3690	510	15,9	-	-	3.5x64	AYP	211
110-4236	510	12	12,5 x 9,2	61,7	4x55	DAYE	226
110-3692	510	30	-	-	5x60	ELECTROLUX - HUSQVARNA	233
110-6545	510	32	9	100	3x70	ETESIA	235
110-6534	510	10	8	65	4x55	GRANJA	239
110-6535	510	18,7	7,2	60	4x70	GRANJA	239
110-3692	510	30	-	-	5x60	HONDA	244
110-0094	510	10	8	65	4x55	MARINA	263
110-3604	510	10,5	8,2	64	3,5x47	MTD	270
110-6605	510	10	7	60	5x60	PILOTE 88	280
110-0094	510	10	8	65	4x55	PILOTE 88	280
110-6535	510	18,7	7,2	60	4x70	SOREPCO	290
110-0094	510	10	8	65	4x55	STAUB	290
110-3708	510	10,31	8,33	54	3.5x84	STIGA	294
110-0188	510	32	-	-	3x70	WOLF	306
110-6620	511	10,4	11	54,2	4x50	STIGA	294
110-1154	513	32	-	-	4x66	JOHN DEERE	252
110-6579	513	16	-	-	5x50	KUBOTA	259
110-1158	513	32	-	-	4x70	SABO	283
110-1154	513	32	-	-	4x66	SABO	283
110-0203	514	19	-	-	4x55	ALKO	204
110-1103	514	20	-	-	5x60	ISEKI	247
110-0090	515	10,3	-	-	3.5x70	ELECTROLUX - HUSQVARNA	233
110-1155	515	32	-	-	4x55	JOHN DEERE	252
110-8423	515	étoilé	7,5	63,5	-	MTD	270
110-1143	515	Rautenförmig	-	-	5x57	MURRAY	274
110-1144	515	Rautenförmig	-	-	5x57	MURRAY	275
110-0090	515	10,3	-	-	3.5x70	NOMA	278
110-1155	515	32	-	-	4x55	SABO	283
110-0090	515	10,3	-	-	3.5x70	STIGA	294
110-0090	515	10,3	-	-	3.5x70	VIKING	301
110-3446	516	19	-	-	5x64	ARIENS	205

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN- ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-3645	517	21,5	9,8	93	4x57	MURRAY	275
110-6566	518	18	-	-	7x60	HONDA	285
110-3646	518	21,43	10	103	4x57	MURRAY	275
110-0116	518	21,8	10	60	3.7x57	MURRAY	275
110-0113	518	21,5	-	-	-	MURRAY	275
110-6566	518	18	-	-	7x60	SHIBAURA	285
110-0001	520	16,2	6,5	74,5	4x80	AGS	202
110-0002	520	16,2	6,5	74,5	4x80	AGS	202
110-1350	520	10,3	-	-	4x70	ARIENS	205
110-0001	520	16,2	6,5	74,5	4x80	AXXOM	207
110-0002	520	16,2	6,5	74,5	4x80	AXXOM	207
110-2084	520	10	6,5	74,5	4x57	AXXOM	207
110-2083	520	10	6,5	74,5	4x57	AXXOM	207
110-0042	520	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	222
110-0043	520	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	222
110-2572	520	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	222
110-2573	520	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	222
110-0185	520	10,8	7	74	4x55	DINO	226
110-0186	520	10,8	7	74	4x55	DINO	226
110-3492	520	25,5	10,6	94	5x60	DORIGNY - SEMIRAMIS	228
110-1095	520	16,3	10,4	76	4x55	ELECTROLUX - HUSQVARNA	233
110-1096	520	16,3	10,4	76	4x55	ELECTROLUX - HUSQVARNA	233
110-1093	520	24,6	5,2	76	4x83	ETESIA	235
110-1094	520	24,6	5,2	76	4x83	ETESIA	235
110-3515	520	11	-	-	4x50	GRANJA	239
110-3522	520	15,9	-	-	6x50	GRAVELY	240
110-3523	520	25,4	-	-	6x57	GRAVELY	240
110-0042	520	18,5	8,75	65	4x55	HONDA	244
110-0043	520	-	8,75	65	4x55	HONDA	244
110-2572	520	18,5	8,75	65	4x55	HONDA	244
110-2573	520	18,5	8,75	65	4x55	HONDA	244
110-8456	520	24	8,2	65	-	IBEA	246
110-0042	520	18,5	8,75	65	4x55	JOHN DEERE	252
110-0043	520	18,5	8,75	65	4x55	JOHN DEERE	252
110-0122	520	32	-	-	3.5x93	JOHN DEERE	252
110-8404	520	23	-	-	-	JOHN DEERE	252
110-0185	520	10,8	7	74	4x55	KARSIT	257
110-0186	520	10,8	7	74	4x55	KARSIT	257
110-2084	520	10	6,5	74,5	4x57	KARSIT	257
110-2083	520	10	6,5	74,5	4x57	KARSIT	257
110-3571	520	18	-	-	5x50	KUBOTA	259
110-0078	520	24	-	-	6x57	KUBOTA	259
110-0077	520	28,5	-	-	65x63	KUBOTA	259
110-0103	520	10,5	8	64	4x55	MTD	270
110-0104	520	10,5	8	64	4x50	MTD	270
110-0122	520	32	-	-	3.5x93	SABO	283
110-0042	520	18,5	8,75	65	4x55	SABO	283



REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-0043	520	18,5	8,75	65	4x55	SABO	283
110-2572	520	18,5	8,75	65	4x55	SABO	284
110-2573	520	18,5	8,75	65	4x55	SABO	284
110-0042	520	18,5	8,75	65	4x55	SOLO	289
110-0043	520	18,5	8,75	65	4x55	SOLO	289
110-1165	520	38	-	-	-	SOLO	289
110-1169	520	38	-	-	4x68	SOLO	289
110-0042	520	18,5	8,75	65	4x55	STIGA	294
110-0043	520	18,5	8,75	65	4x55	STIGA	294
110-2572	520	18,5	8,75	65	4x55	STIGA	294
110-2573	520	18,5	8,75	65	4x55	STIGA	295
110-0103	520	10,5	8	64	4x55	TORO	297
110-0104	520	10,5	8	64	4x50	TORO	297
110-3522	520	15,9	-	-	6x50	TORO	297
110-1095	520	16,3	10,4	76	4x55	VIKING	301
110-1096	520	16,3	10,4	76	4x55	VIKING	301
110-0001	520	16,2	6,5	74,5	4x80	VIKING	301
110-0002	520	16,2	6,5	74,5	4x80	VIKING	301
110-0185	520	10,8	7	74	4x55	VIKING	301
110-0186	520	10,8	7	74	4x55	VIKING	302
110-0042	520	18,5	8,75	65	4x55	VIKING	302
110-0043	520	18,5	8,75	65	4x55	VIKING	302
110-2572	520	18,5	8,75	65	4x55	VIKING	302
110-2573	520	18,5	8,75	65	4x55	VIKING	302
110-0185	520	10,8	7	74	4x55	WIKOV SLAVIA	305
110-0186	520	10,8	7	74	4x55	WIKOV SLAVIA	305
110-8384	521	15,9	-	-	-	DIXON	227
110-8385	521	17,5	-	-	-	DIXON	227
110-8408	521	28,6	-	-	-	KUBOTA	259
110-8359	521	22,6	-	-	6,4x63,5	KUBOTA	259
110-8360	521	18,1	-	-	6,4x63,5	KUBOTA	260
110-8459	524	20	5,8 / 8 / 10	51 / 65 / 94	-	IBEA	246
110-0205	525	16,5	6,5	147	4,1x55	ALKO	204
110-0204	525	16,5	6,5	147	4,1x55	ALKO	205
110-0205	525	16,5	6,5	147	4,1x55	DOLMAR	228
110-0204	525	16,5	6,5	147	4,1x55	DOLMAR	228
110-0085	525	16	8	95	3,4x75	GABY	238
110-0085	525	16	8	95	3,4x75	GRANJA	239
110-1099	525	21	10,5	87	4x57	HONDA	244
110-3541	525	21	10,5	88	4x57	HONDA	244
110-3542	525	24	14,5	88	4x55	HONDA	244
110-0057	525	21,4	14,5	88	4x57	HONDA	245
110-3545	525	21	10,5	88	4x56	HONDA	245
110-0056	525	21,4	14,5	88	4x57	HONDA	245
110-0066	525	25,5	14,8	90	4x57	ISEKI	247
110-1106	525	24,7	13,4	90	4x57	ISEKI	247
110-6542	525	16	-	-	7x60	ISEKI	248



REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN- ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-0066	525	25,5	14,8	90	4x57	KUBOTA	260
110-3572	525	20	14	90	4x57	KUBOTA	260
110-1106	525	24,7	13,4	90	4x57	KUBOTA	260
110-9706	525	16	-	-	3.3x63	LAWN BOY	261
110-0095	525	16	8	65	4x55	MARINA	263
110-0085	525	16	8	95	3,4x75	MOUNTFIELD	265
110-0095	525	16	8	65	4x55	PILOTE 88	280
110-0095	525	16	8	65	4x55	STAUB	290
110-1090	527	20,4	6,8	47	4x80	AS MOTOR	206
110-0131	527	9,5	9,5	70	4x70	SNAPPER	286
110-3414	528	15	10	125	5x50	DALOZ	225
110-8398	528	20,2	-	-	-	ISEKI	248
110-0083	528	16	13,5	66	3.3x76	LAWN BOY	262
110-1180	528	32	10.3x11.3	89	4x65	VIKING	302
110-2130	529	11	10	64	4x57	TORO	297
110-0048	530	28	-	-	3x75	ALKO	205
110-1086	530	20	-	-	4x80	AS MOTOR	206
110-3453	530	10,2	-	-	3x70	BERNARD	214
110-3465	530	15,8	9	42	6x63	BOBCAT	216
110-3466	530	10	9,6	52	3.8x63	BOBCAT	216
110-3478	530	15,9	-	-	5x63	BUNTON	218
110-0048	530	28	-	-	3x75	CONCORD	223
110-0048	530	28	-	-	3x75	DOLMAR	228
110-0064	530	10,2	8,5	65	3,2x75	ELECTROLUX - HUSQVARNA	233
110-3543	530	23,4	10,5	88	2,4x57	HONDA	245
110-3544	530	21	8,5	84	4x57	HONDA	245
110-4199	530	32	-	-	4x100	JOHN DEERE	252
110-0071	530	21,3	11	90	4x57	KAAZ	257
110-8407	530	14	-	-	-	KLIPPO	257
110-1129	530	17	11x11.5	40	3x65	MAPLEX - MARAZZINI - MEP	262
110-3609	530	20,8	10	64	3,6x50	MTD	270
110-3610	530	20,9	9,9	64	4x57	MTD	270
110-3611	530	21,4	9,5	64	3x57	MTD	270
110-3648	530	10,3	-	-	4x57	MURRAY	275
110-3649	530	10,3	-	-	4x70	MURRAY	275
110-3650	530	10,3	10,3	64	3.5x57	MURRAY	275
110-0071	530	21,3	11	90	4x57	OREC	279
110-1535	530	23	10,5	90	4x56	OREC	279
110-0048	530	28	-	-	3x75	STIGA	295
110-3719	530	11,5	-	-	3.5x66	TORO	297
110-3721	530	11	-	-	3x66	TORO	297
110-8465	530	11	9,5	63,5	-	TORO	297
110-4250	530	31,9	-	-	3,2x102	WEIBANG	304
110-0071	530	21,3	11	90	4x57	YANMAR	307
110-1535	530	23	10,5	90	4x56	YANMAR	307
110-0058	531	22,1	10,5x14	92	2.5x80	HONDA	328
110-3547	532	22,5	10,3	88	3,6x57	HONDA	245



REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-4188	532	21	10,4	88	3x80	HONDA	245
110-3548	532	32	10,3	88	2,4x66	HONDA	245
110-0171	532	11,5	9,5	62	3.4x65	TORO	297
110-0195	533	16,1	9,35	48	3,4x70	AYP	211
110-0194	533	16,1	9,8	48	3,2x56	AYP	211
110-8353	533	stern 5 kanten	-	-	5,2x63,5	ELECTROLUX - HUSQVARNA	234
110-3526	533	10,5	12,5	41,5	4x50	HOMELITE - JACOBSEN	241
110-3527	533	25,4	10,5	70	4x57	HOMELITE - JACOBSEN	241
110-3563	533	23	10,5	93	4x70	JOHN DEERE	252
110-6575	533	9,5	12,3	50,8	3x70	JOHN DEERE	252
110-6576	533	17,1	10,6	95	3.8x63	JOHN DEERE	253
110-8405	533	23	-	-	-	JOHN DEERE	253
110-3612	533	23.4x17.46	7,5	64	3.2x57	MTD	270
110-1137	533	10	8	64	3.7x51	MTD	271
110-3613	533	stern 4 kanten	7,5	64,5	3.2x57	MTD	271
110-6606	533	24,5	-	-	5x60	ROQUES & LECOEUR	281
110-3368	533	15,9	9,8	102	5,2x63,5	SCAG	285
110-9366	533	21,2	9,5	63,5	3,4x57	SNAPPER	286
110-3722	533	11,5	9,5	62	3.5x57	TORO	297
110-1189	533	21,20	10,5	54	4x57	YAMAHA	307
110-4228	535	10,4	9,5	292	4x56	AYP	211
110-4230	535	stern 5 kanten	9,4	278	3,5x56	AYP	211
110-0013	535	stern 5 kanten	-	-	4x57	AYP	211
110-0010	535	stern 5 kanten	-	-	3.4x57	AYP	211
110-3691	535	16	10	48	3.5x57	AYP	212
110-3691	535	16	10	48	3.5x57	BERNARD	215
110-0013	535	stern 5 kanten	-	-	4x57	BERNARD	215
110-0010	535	stern 5 kanten	-	-	3.4x57	BERNARD	215
110-3691	535	16	10	48	3.5x57	ELECTROLUX - HUSQVARNA	234
110-0013	535	stern 5 kanten	-	-	4x57	ELECTROLUX - HUSQVARNA	234
110-0010	535	stern 5 kanten	-	-	3.4x57	ELECTROLUX - HUSQVARNA	234
110-3691	535	16	10	48	3.5x57	JOHN DEERE	234
110-4201	535	32	-	-	3x100	JOHN DEERE	253
110-3691	535	16	10	48	3,5x57	JONSERED	253
110-0170	535	11	9,5	62	3.5x65	TORO	298
110-0013	535	stern 5 kanten	-	-	4x57	VIKING	302
110-0107	538	stern	8	63,5	4x75	MTD	271
110-0106	538	stern 6 kanten	8	63,5	4x75	MTD	271
110-1142	538	10	8	64	4x75	MTD	271
110-3651	538	21,5	9,8	102	4x57	MURRAY	275
110-3668	538	19	-	-	5x50	NIAGARA	277
110-3652	539	21,5	-	-	4x57	MURRAY	275
110-8472	540	18	8,75	65	3x55	CASTELGARDEN (TC, Honda, Stiga)	222
110-3561	540	21,6	-	-	4x57	JOHN DEERE	253
110-4202	540	stern 7 kanten	-	-	4x68	JOHN DEERE	253
110-3614	540	10,3	11	64	4x75	MTD	271

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN- ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-0099	540	10,3	8	64	4x75	MTD	271
110-4194	540	stern 6 kanten	-	-	3,2x77	MTD	271
110-4195	540	stern 6 kanten	-	-	3,2x77	MTD	271
110-0117	540	21,5	10	60	4x57	MURRAY	276
110-0114	540	21,5	-	-	3,5x70	MURRAY	276
110-8191	542	stern 5 kanten	12,9	84	4x57	AYP	212
110-8192	542	stern 6 kanten	12,9	84	4x57	AYP	212
110-8193	542	Passt zu 110-8191	-	-	4x57	AYP	212
110-8194	542	Passt zu 110-8192	-	-	4x57	AYP	212
110-8191	542	stern 5 kanten	12,9	84	4x57	BERNARD	212
110-8192	542	stern 6 kanten	12,9	84	4x57	BERNARD	215
110-8193	542	Passt zu 110-8191	-	-	4x57	BERNARD	215
110-8194	542	Passt zu 110-8192	-	-	4x57	BERNARD	215
110-8191	542	stern 5 kanten	12,9	84	4x57	ELECTROLUX - HUSQVARNA	215
110-8192	542	stern 6 kanten	12,9	84	4x57	ELECTROLUX - HUSQVARNA	234
110-8193	542	Passt zu 110-8191	-	-	4x57	ELECTROLUX - HUSQVARNA	234
110-8194	542	Passt zu 110-8192	-	-	4x57	ELECTROLUX - HUSQVARNA	234
110-8191	542	stern 5 kanten	12,9	84	4x57	JONSERED	234
110-8192	542	stern 6 kanten	12,9	84	4x57	JONSERED	256
110-8193	542	Passt zu 110-8191	-	-	4x57	JONSERED	256
110-8194	542	Passt zu 110-8192	-	-	4x57	JONSERED	256
110-4203	543	20,6	-	-	5x62	JOHN DEERE	256
110-0017	545	stern 5 kanten	13	85	4x57	AYP	212
110-0018	545	stern 6 kanten	13	85	4x57	AYP	212
110-0017	545	stern 5 kanten	13	85	4x57	BERNARD	215
110-0018	545	stern 6 kanten	13	85	4x57	BERNARD	215
110-0017	545	stern 5 kanten	13	85	4x57	ELECTROLUX - HUSQVARNA	234
110-0018	545	stern 6 kanten	13	85	4x57	ELECTROLUX - HUSQVARNA	234
110-4200	545	stern 7 kanten	-	-	5x68	JOHN DEERE	253
110-0017	545	stern 5 kanten	13	85	4x57	JOHN DEERE	253
110-0018	545	stern 6 kanten	13	85	4x57	JOHN DEERE	254
110-0017	545	stern 5 kanten	13	85	4x57	JONSERED	256
110-0018	545	stern 6 kanten	13	85	4x57	JONSERED	256
110-3723	546	12,7	-	-	5x63.5	TORO	298
110-8448	548	20	-	-	-	WOLF	306
110-8449	548	20	10,3	71	-	WOLF	306
110-1084	550	23	11x22	84	4x59	ALKO	205
110-3524	550	16	10	70	3x90	HARRY	240
110-0119	550	10	-	-	5x50	NOMA	278
110-8466	550	11	9,5	63,5	-	TORO	298
110-3693	552	16	-	-	3.5x63	AYP	212
110-0101	552	10,3	-	-	3.5x50	NOMA	278



REF.	LÄNGE (mm)	ZENTRALBOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-8431	552	10	6,7	60	-	PILOTE 88	280
110-2136	552	11	10	64	4x57	TORO	298
110-6577	554	20x35	-	-	5x60	JOHN DEERE	254
110-6578	554	20x35	-	-	4,7x60	JOHN DEERE	254
110-3694	555	16	10	48	4x60	AYP	212
110-3694	555	16	10	48	4x60	BERNARD	215
110-4237	555	12	12,5 x 9,2	61,7	4x55	DAYE	226
110-3694	555	16	10	48	4x60	ELECTROLUX - HUSQVARNA	235
110-0050	555	10,9	10.5x22.5	84	3,5x80	ETESIA	235
110-3694	555	16	10	48	4x60	JOHN DEERE	254
110-3694	555	16	10	48	4x60	JONSERED	256
110-0050	555	10,9	10.5x22.5	84	3,5x80	WOLF	306
110-4229	558	stern 5 kanten	9,7	66 / 210	3,5x57	AYP	212
110-1108	558	16	10	48	4x64	AYP	213
110-1108	558	16	10	48	4x64	BERNARD	216
110-1108	558	16	10	48	4x64	ELECTROLUX - HUSQVARNA	235
110-1108	558	16	10	48	4x64	JOHN DEERE	254
110-1108	558	16	10	48	4x64	JONSERED	256
110-1138	558	10	8	64	3.7x51	MTD	271
110-8354	559	12,4	8,2	40	6,1x60	ELECTROLUX - HUSQVARNA	235
110-3615	559	stern	8	63,5	3.2x57	MTD	272
110-6599	559	10	10	102	4x57	MURRAY	276
110-1105	560	20	-	-	-	ISEKI	248
110-0096	560	10	8	65	4x55	MARINA	263
110-3617	560	20,6	9,5	64	4x50	MTD	272
110-3618	560	10,3	8	64	5x50	MTD	272
110-3653	560	10,3	10,3	64	4x57	MURRAY	276
110-0096	560	10	8	65	4x55	STAUB	290
110-3736	560	16	5	76	-	WALKER	303
110-3737	560	16	5	76	-	WALKER	303
110-3746	560	8	8	46	4x50	WESTWOOD	305
110-3747	560	8	8	46	4x50	WESTWOOD	305
110-3474	565	12,7	9,7	64	5x50	BOLENS	217
110-8437	565	19	10,2	65	-	SIMPLICITY	286
110-3620	570	10,3	8	64	5x50	MTD	272
110-8379	581	stern 5 kanten	9	100	-	AYP	213
110-8424	600	stern 6 kanten	8	63,5	-	MTD	272
110-1101	605	21	10,5	88	4x57	HONDA	245
110-8361	610	25,4	-	-	6,1x63,5	KUBOTA	260
110-1088	612	32	12,3	80	4x80	AS MOTOR	206
110-8397	617	19,2	9,2	65	-	ELECTROLUX - HUSQVARNA	235
110-8397	617	19,2	9,2	65	-	MAPLEX - MARAZZINI - MEP	262
110-8397	617	19,2	9,2	65	-	MARINA	263
110-8425	617	10,3	10,3	74	-	MTD	272
110-8426	617	10,3	10,3	74	-	MTD	272
110-0044	620	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	222
110-0045	620	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	222

REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-2574	620	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	222
110-2575	620	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	223
110-2576	620	18,5	8,5	192	3,5x55	CASTELGARDEN (TC, Honda, Stiga)	223
110-0199	620	18,5	8,5	192	3,3x57	CASTELGARDEN (TC, Honda, Stiga)	223
110-0044	620	18,5	8,75	65	4x55	HONDA	246
110-0045	620	18,5	8,75	65	4x55	HONDA	246
110-3573	620	24	-	-	6x64	KUBOTA	260
110-0044	620	18,5	8,75	65	4x55	SABO	284
110-0045	620	18,5	8,75	65	4x55	SABO	284
110-0044	620	18,5	8,75	65	4x55	SOLO	284
110-0045	620	18,5	8,75	65	4x55	SOLO	284
110-0044	620	18,5	8,75	65	4x55	STIGA	295
110-0045	620	18,5	8,75	65	4x55	STIGA	295
110-2576	620	18,5	8,5	192	3,5x55	STIGA	295
110-0199	620	18,5	8,5	192	3,3x57	STIGA	295
110-2574	620	18,5	8,75	65	4x55	STIGA	295
110-2575	620	18,5	8,75	65	4x55	STIGA	295
110-0044	620	18,5	8,75	65	4x55	VIKING	302
110-0045	620	18,5	8,75	65	4x55	VIKING	302
110-2574	620	18,5	8,75	65	4x55	VIKING	302
110-2575	620	18,5	8,75	65	4x55	VIKING	303
110-3369	622	15,9	-	-	5,2x63,5	SCAG	285
110-8409	624	28,6	-	-	-	KUBOTA	260
110-3654	625	21,5	-	-	3.7x57	MURRAY	276
110-0008	630	20	-	-	4x80	AS MOTOR	207
110-3467	630	15,8	-	-	6x63	BOBCAT	216
110-0129	630	27	14	190	5x70	SNAPPER	287
110-1091	634	20	-	-	4x80	AS MOTOR	207
110-3564	635	23	-	-	8x63	JOHN DEERE	254
110-3724	635	19	-	-	6x63.5	TORO	298
110-8446	635	15,9	4,8	76,2	-	WALKER	303
110-8447	635	15,9	4,8	76,2	-	WALKER	303
110-9702	640	13	8,2	48	5x120	ISEKI	248
110-9703	640	13	8,2	48	5x120	ISEKI	248
110-3725	640	12,7	-	-	6x63.5	TORO	298
110-8342	660	stern 5 kanten	-	-	4x57	AYP	213
110-8467	660	18	8,75	65	-	CASTELGARDEN (TC, Honda, Stiga)	223
110-8342	660	stern 5 kanten	-	-	4x57	ELECTROLUX - HUSQVARNA	235
110-8342	660	stern 5 kanten	-	-	4x57	Mc CULLOCH	264
110-0126	660	27	14	190	5x70	SNAPPER	287
110-6597	662	10,3	8	64	4,5x63	MTD	332
110-6581	673	18,5	9	65	5x55	EUROSYSTEMS	236
110-6581	673	18,5	9	65	5x55	MAPLEX - MARAZZINI - MEP	263
110-6581	673	18,5	9	65	5x55	SLALOM	286
110-1351	710	19	-	-	5x70	ARIENS	206
110-2577	710	18,5	8,5	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	223
110-0200	710	18,5	8,75	65	4x55	CASTELGARDEN (TC, Honda, Stiga)	223



REF.	LÄNGE (mm)	ZENTRAL BOHRUNG (mm)	LÖCHER AUSSEN	MITTEN-ABSTAND (mm)	ABSCHNITT (mm)	MARKE	PAGE
110-2577	710	18,5	8,5	65	4x55	HONDA	246
110-9704	710	13	8,2	48	5x120	ISEKI	248
110-9705	710	13	8,2	48	5x120	ISEKI	248
110-2577	710	18,5	8,5	65	4x55	JOHN DEERE	254
110-2577	710	18,5	8,5	65	4x55	SABO	284
110-2577	710	18,5	8,5	65	4x55	SOLO	289
110-2577	710	18,5	8,5	65	4x55	STIGA	295
110-2577	710	18,5	8,5	65	4x55	VIKING	303
110-0128	720	27	13,6	190	4.7x70	SNAPPER	287
110-0206	735	16,2	6,7	150	5x60	ALKO	205
110-3549	750	26	12,5	110	4x70	HONDA	246
110-3565	750	18,2	-	-	5x63	JOHN DEERE	254
110-3566	750	18,2	-	-	5x60	JOHN DEERE	254
110-0193	752	stern 5 kanten	9,6	302	4x55	AYP	213
110-1352	760	19	-	-	5x70	ARIENS	206
110-6582	760	18,5	9	65	5x55	EUROSYSTEMS	236
110-3550	760	16	12	110	4,7x70	HONDA	246
110-6582	760	18,5	9	65	5x55	MAPLEX - MARAZZINI - MEP	263
110-3624	760	10,5	8	63,5	4x76	MTD	272
110-3657	760	22.5x25.4	-	-	4x70	MURRAY	276
110-3659	760	22.2x25.4	-	-	4x57	MURRAY	276
110-0102	760	13	10x24	69	5x62	NOMA	278
110-6582	760	18,5	9	65	5x55	SLALOM	286
110-0127	760	27	14	190	5x70	SNAPPER	288
110-0102	760	13	10x24	69	5x62	VIKING	303
110-0109	762	stern	8,2	63,5	4x70	MTD	272
110-8427	762	stern 6 kanten	8,5	63,5	-	MTD	273
110-3567	763	17,5	-	-	5x60	JOHN DEERE	254
110-3660	763	21,5	-	-	4.8x57	MURRAY	276
110-0111	763	21,5	-	-	4x70	MURRAY	276
110-3489	765	21,5	-	-	4x70	DIXON	227
110-0173	797	15,9	-	-	5x63.5	TORO	298
110-4187	800	32	5,2 / 8,5	76,2 / 200	3x80	ETESIA	306
110-4187	800	32	5,2 / 8,5	76,2 / 200	3X80	WOLF	306
110-0207	819	16,2	6,7	150	5x60	ALKO	205
110-0130	840	27	13,6	190	4.7x70	SNAPPER	288
110-2603	840	27	14,5	190	4.7x70	SNAPPER	288

